

INDEX TO VOLUME 63

By JANE R. DURHAM

A

- Accipiter, 178-179, 505-506
 bicolor bicolor, 506
 bicolor pileatus, 179
 cooperii, 178
 pectoralis, 505-506
 pileatus, 179
 poliogaster, 505-506
 Acrocephalus arundinaceus, 282
 Aechmophorus occidentalis, 227, 264
 Aegithalos caudatus, 213
 Aëronauts saxatalis, 505
 Agelaius, 59, 68
 phoeniceus, 58, 183, 218, 282, 330, 340, 356
 tricolor, 330, 507
 Aix sponsa, 209
 Akepa, 179
 Akialoa, Kauai, 180
 Alauda, 418
 arvensis, 418
 Albatross, Black-browed, 257, 260
 Black-footed, 185-197, 257-258, 260, 262-263, 304-311
 Laysan, 185-197, 260, 263, 304-311, 506
 Light-mantled Sooty, 257, 260-261
 Shy, 261
 Wandering, 257, 260-261
 Alderson, George, inland occurrences of the red phalarope in Oregon, 97
 Alderton, Cora C., the breeding cycle of the yellow-bellied seedeater in Panama, 390
 Alektoris, 123
 graeca, 111-127
 rufa, 111
 Amadon, Dean, relationships of the falconiform genus Harpagus, 178
 Amakihi, 180
 Amazilia tzacatl, 396, 405
 Amazona autumnalis, 404
 Amphispiza bilineata, 266
 Anabacerthia striaticollis, 405
 Anas, 366, 368, 383
 acuta, 361
 discors, 404
 platyrhynchos, 351-364, 365-385
 Anderson, Anders H., and Anderson, Anne, life history of the cactus wren. Part IV: development of nestlings, 87
 Anhinga, 404
 anhinga, 404
 Ani, Greater, 210
 Groove-billed, 210
 Smooth-billed, 202, 210, 405
 Anianiau, 180
 Anser, 401
 Antbird, Dusky, 406
 Anthus pratensis, 324
 trivialis, 217
 Antshrike, Barred, 406
 Fasciated, 406
 Ant-Tanager, Red-crowned, 479-503
 Red-throated, 201, 219, 479-503
 Antvireo, Plain, 406
 Antwren, White-flanked, 207
 Apapane, 180
 Aphelocoma, 234-245
 coerulescens, 148, 213, 234-236, 239, 331
 coerulescens cactophila, 239, 240, 244
 coerulescens californica, 234-235, 238-239, 242
 coerulescens cana, 239
 coerulescens caurina, 234-235, 237-239
 coerulescens hypoleuca, 239-240
 coerulescens immanus, 234, 237-239
 coerulescens insularis, 240
 coerulescens obscura, 234, 238-239
 coerulescens oocleptica, 234-235, 237-239, 244
 coerulescens superciliosa, 234-235, 238-239, 244
 gracilis, 242, 243
 ultramarina, 213, 234, 243
 ultramarina arizonae, 243
 ultramarina colimae, 242-243
 ultramarina couchii, 243
 ultramarina gracilis, 242-243
 ultramarina potosina, 240-243
 ultramarina sordida, 204-241
 ultramarina ultramarina, 240-241, 243
 ultramarina wollweberi, 241-243
 unicolor, 243
 unicolor unicolor, 242
 wollweberi, 241, 243
 Aptenodytes fosteri, 200
 Aquila chrysaëtos, 114
 Araçari, Collared, 203, 211, 405
 Fiery-billed, 207, 405
 Aramides cajanea, 404
 Archilochus, 3-4, 10-11, 22, 26
 alexandri, 3-13, 21-26
 colubris, 4, 10, 323, 507
 violajugulum, 10
 Ardea herodias, 98
 herodias herodias, 98
 Argya malcolmi, 214
 Arremonops conirostris, 406
 Artamus maximus, 217
 Atthis calliope, 17
 Auklet, Cassin, 415, 456
 Rhinoceros, 456-473
 Aviceda, 178
 Avocet, 203, 402

INDEX TO VOLUME 63

By JANE R. DURHAM

A

- Accipiter, 178-179, 505-506
 bicolor bicolor, 506
 bicolor pileatus, 179
 cooperii, 178
 pectoralis, 505-506
 pileatus, 179
 poliogaster, 505-506
 Acrocephalus arundinaceus, 282
 Aechmophorus occidentalis, 227, 264
 Aegithalos caudatus, 213
 Aëronauts saxatalis, 505
 Agelaius, 59, 68
 phoeniceus, 58, 183, 218, 282, 330, 340, 356
 tricolor, 330, 507
 Aix sponsa, 209
 Akepa, 179
 Akialoa, Kauai, 180
 Alauda, 418
 arvensis, 418
 Albatross, Black-browed, 257, 260
 Black-footed, 185-197, 257-258, 260, 262-263, 304-311
 Laysan, 185-197, 260, 263, 304-311, 506
 Light-mantled Sooty, 257, 260-261
 Shy, 261
 Wandering, 257, 260-261
 Alderson, George, inland occurrences of the red phalarope in Oregon, 97
 Alderton, Cora C., the breeding cycle of the yellow-bellied seedeater in Panama, 390
 Alektoris, 123
 graeca, 111-127
 rufa, 111
 Amadon, Dean, relationships of the falconiform genus Harpagus, 178
 Amakihi, 180
 Amazilia tzacatl, 396, 405
 Amazona autumnalis, 404
 Amphispiza bilineata, 266
 Anabacerthia striaticollis, 405
 Anas, 366, 368, 383
 acuta, 361
 discors, 404
 platyrhynchos, 351-364, 365-385
 Anderson, Anders H., and Anderson, Anne, life history of the cactus wren. Part IV: development of nestlings, 87
 Anhinga, 404
 anhinga, 404
 Ani, Greater, 210
 Groove-billed, 210
 Smooth-billed, 202, 210, 405
 Anianiau, 180
 Anser, 401
 Antbird, Dusky, 406
 Anthus pratensis, 324
 trivialis, 217
 Antshrike, Barred, 406
 Fasciated, 406
 Ant-Tanager, Red-crowned, 479-503
 Red-throated, 201, 219, 479-503
 Antvireo, Plain, 406
 Antwren, White-flanked, 207
 Apapane, 180
 Aphelocoma, 234-245
 coerulescens, 148, 213, 234-236, 239, 331
 coerulescens cactophila, 239, 240, 244
 coerulescens californica, 234-235, 238-239, 242
 coerulescens cana, 239
 coerulescens caurina, 234-235, 237-239
 coerulescens hypoleuca, 239-240
 coerulescens immanus, 234, 237-239
 coerulescens insularis, 240
 coerulescens obscura, 234, 238-239
 coerulescens oocleptica, 234-235, 237-239, 244
 coerulescens superciliosa, 234-235, 238-239, 244
 gracilis, 242, 243
 ultramarina, 213, 234, 243
 ultramarina arizonae, 243
 ultramarina colimae, 242-243
 ultramarina couchii, 243
 ultramarina gracilis, 242-243
 ultramarina potosina, 240-243
 ultramarina sordida, 204-241
 ultramarina ultramarina, 240-241, 243
 ultramarina wollweberi, 241-243
 unicolor, 243
 unicolor unicolor, 242
 wollweberi, 241, 243
 Aptenodytes fosteri, 200
 Aquila chrysaëtos, 114
 Araçari, Collared, 203, 211, 405
 Fiery-billed, 207, 405
 Aramides cajanea, 404
 Archilochus, 3-4, 10-11, 22, 26
 alexandri, 3-13, 21-26
 colubris, 4, 10, 323, 507
 violajugulum, 10
 Ardea herodias, 98
 herodias herodias, 98
 Argya malcolmi, 214
 Arremonops conirostris, 406
 Artamus maximus, 217
 Atthis calliope, 17
 Auklet, Cassin, 415, 456
 Rhinoceros, 456-473
 Aviceda, 178
 Avocet, 203, 402

Avocet, European, 209
 Aythya affinis, 209, 404
 valisineria, 265

B

Babbler, Jungle, 214
 Large Gray, 214
 Balanophyia formicivora, 211
 Banks, Richard C., and Johnson, Ned K., a review of North American hybrid hummingbirds, 3
 Barbet, Pied, 211
 Prong-billed, 405, 407
 Red-headed, 405
 White-eared, 211
 Bartholomew, George A., and Howell, Thomas R., temperature regulation in Laysan and black-footed albatrosses, 185
 Baza, 178
 Bittern, Least, 404
 Blackbird, Brewer, 58, 101, 162-177, 182-183
 European, 203, 205, 215-216, 270, 272, 282-283, 288, 290
 Redwinged, 58, 183, 202, 218, 220, 281-282, 284, 330-331, 335-336, 340, 356-357
 Rusty, 165
 Tricolored, 330-334, 336-337, 507-508
 Bluebird, Eastern, 200-202, 204-206, 215, 281
 Fairy, 508
 Mountain, 215
 Western, 215
 Bobolink, 215
 Bobwhite, 97, 272, 294, 299, 324
 Bonasa umbellus, 97
 Booby, Blue-faced, 261
 Brown, 207, 209, 261
 Bower Bird, Satin, 324
 Bowles, John, and Richardson, Frank, records of the rarer native forest birds of Kauai, Hawaii, 179
 Bowman, Robert L., late spring observations on birds of South Farallon Island, California, 410
 Brachyramphus marmoratum, 456
 Brant, Black, 418
 Branta, 401-402
 bernicula, 418
 canadensis, 209
 nigricans, 418
 Brotogeris jugularis, 404
 Brownell, Katharine A., and Hartman, Frank A., lipids in the locomotor muscles of birds, 403
 Bruce, James A., pomarine jaeger in Mount Rainier National Park, 342; first record of European skylark on San Juan Island, Washington, 418
 Bubo virginianus, 469
 Bubulcus ibis, 404
 Buccanodon leucotis, 211
 Bucephala clangula, 508

Bunting, Indigo, 220, 281, 284, 341-342, 403, 406
 Lazuli, 341-342
 Reed, 282
 Snow, 147
 Bushtit, Black-eared, 202-203, 213
 Common, 214
 Buss, Irven O., correction, 183
 Butcherbird, Pied, 217
 Buteo harlani, 98
 jamaicensis, 98
 platypterus, 404
 solitarius, 342
 swainsoni, 266
 Butorides virescens, 208
 Bycanistes subcylindricus, 211

C

Cacique, Yellow-billed, 407
 Calcaricus lapponicus, 147
 Calidris cinereus, 180
 Callipepla squamata, 294, 340
 Calocitta formosa, 213
 Calothorax lucifer, 10
 Calypste, 3, 10, 13, 15, 22, 26
 anna, 5, 7-13, 15-26
 costae, 3-5, 7-10, 12-17, 22-25
 Camptorhynchus labradorius, 380, 384
 Campylopterus hemileucurus, 405, 407
 Campylorhynchus brunneicapillus, 87-94
 zonatus, 214
 Canvasback, 265
 Capella megala, 417
 Caprimulgus europaeus, 210, 278
 vociferus, 289
 Cardiff, Eugene A., savannah sparrow breeding at Big Bear Lake in the San Bernardino Mountains of California, 97; two new records of birds for California and notes on species of the Imperial Valley and Salton Sea area of California, 183
 Cardinal, 200-202, 204-208, 215, 219-220, 246-256, 270-272, 274-277, 281-282, 284-285, 290-291
 Carduelis cannabina, 220
 Carpodacus cassinii, 418
 mexicanus, 147, 220, 266, 323, 387, 410
 purpureus, 418
 Casmerodius albus, 404
 Cassidix, 29-30, 33, 37, 45, 47, 51-52, 55, 57-63, 66, 68-70, 73-74, 76-77, 79-80, 504
 major, 29-32, 34-35, 37-41, 44-51, 53-62, 64-81, 504
 major major, 31, 33-34, 37-38, 40-44, 46, 50, 52-53, 54, 56, 81, 504
 major torreyi, 31, 33, 37, 44, 50-54
 major westoni, 31, 33
 mexicanus, 29-35, 37-51, 53-64, 66-81
 mexicanus graysoni, 41-42, 52-53, 80-81
 mexicanus major, 29
 mexicanus mexicanus, 29-31, 41-45, 52, 54, 62, 81

- mexicanus monsoni*, 31, 62, 81
mexicanus nelsoni, 41-43, 52-54, 80-81
mexicanus obscurus, 31, 40, 42, 52, 54, 62, 81
mexicanus peruvianus, 81
mexicanus prosopidicola, 29-31, 38-39, 41-47, 52-56, 62, 69, 80, 81, 504
nicaraguensis, 30, 50, 80
palustris, 30, 31, 50, 79-80
 Catbird, 215, 271-274, 276-277, 281-282, 284-285, 290-291
 Cathartes aura, 419
 Centurus, 211
 pucherani, 405
 rubricapillus, 405
Cephus columba, 415, 457
Cercomacra tyrannina, 406
Cerorhinca monocerata, 456-473
Certhia brachydactyla, 214
Ceryle torquata, 405
 Chachalaca, Chestnut-winged, 403-404
 Chaetura, 338
 pelagica, 210, 338
 Chaffinch, 137, 220, 270, 288
Charadrius alexandrinus, 209
 semipalmatus, 181
Chasiempis sandwichensis sclateri, 180
 Chen, 401
 Chickadee, Mountain, 205, 213
Chiromachaeris coronata, 345, 348, 350
Chlidonias niger, 341
Chloroceryle amazona, 405
 americana, 405
Chlorospingus ophthalmicus, 406
Chondrohierax uncinatus, 404
Chordeiles acutipennis, 405
 minor, 278
 Chough, White-winged, 213
 Christman, Gene M., painting of hybrid hummingbirds, opp. 3
Ciccaba nigrolineata, 405
Circus cyaneus, 116
Cistothorus platensis, 172
Clangula hyemalis, 418
Claravis pretiosa, 404
 Clark, George A., Jr., and Humphrey, Philip S., pterylosis of the mallard duck, 365
Coccothraustes coccothraustes, 220
Coccyzus americanus, 210
 erythrophthalmus, 210
Cochlearius cochlearius, 404
Colaptes, 215
 cafer, 340
Colibri thalassinus, 323
Colinus virginianus, 97, 113, 272, 294, 324
Collocalia, 338
Columba, 452
 albalinea, 404
 livia, 210, 452
 speciosa, 404
 subvinacea, 404
Columbigallina talpacoti, 404, 454
Contopus virens, 273
 Coot, European, 209
Coragyps atratus, 200, 212
Corapipo leucorrhoa, 406
Corcorax melanorhamphus, 213
 Cormorant, Brandt, 411-412, 414
 Double-crested, 412, 414
 European, 200, 202, 209
 Great, 209
 Olivaceous, 403-404, 407
 Pelagic, 414
 Corvus, 212
 brachyrhynchus, 112, 212
 corax, 212, 474
 frugilegus, 279
 monedula, 212
 palliatu, 242-243
 ultramarinus, 237, 240, 243
Coturnix coturnix, 404, 451
 Cowan, I. McT., and Cowan, Garry McT., the Amur barn swallow off British Columbia, 419
 Cowbird, Bronzed, 183
 Brown-headed, 58, 183, 220, 410
Cracticus nigrogularis, 217
 Crane, White-throated, 404
 Creeper, 179
 Garden Tree, 214
Crocethia alba, 181
Crotophaga, 204
 ani, 210, 405
 major, 210
 sulcirostris, 210
 Crow, 112
 American, 212
Crypturellus soui, 404
 Cuckoo, Black-billed, 210
 European, 214
 Guira, 210
 Yellow-billed, 206, 210
Cuculus canorus, 214
Cyanerpes cyaneus, 217, 406
 lucidus, 406
Cyanocitta cristata, 213
 stelleri, 143
 superciliosa, 234, 236-238, 243
 ultramarinus, 240, 243
Cyanocompsa cyanoides, 486
Cyanocorax dickeyi, 213
 unicolor, 242-243
Cyanolesbia, 178
Cymbilaimus lineatus, 406
Cypseloides niger, 338

D

- Dacnis cayana*, 217
Dacnis, Blue, 203, 217
 Turquoise, 217
Damophila julie, 405
 Davis, Donald G., western grebe colonies in northern Colorado, 264; notes on a colony

- of Forster terns at Timnath Reservoir, Colorado, 341
- Davis, John, some seasonal changes in morphology of the rufous-sided towhee, 313
- Delichon urbica*, 212
- Dendrocygna*, 370
- Dendroica*, 349
- auduboni*, 349
- castanea*, 349
- coronata*, 349
- discolor*, 419
- occidentalis*, 349
- pennsylvanica*, 410
- petechia*, 206, 220
- striata*, 349
- townsendi*, 349
- Dinospizias pectoralis*, 506
- Diomedea cauta*, 261
- exulans*, 257
- immutabilis*, 185-197, 260, 263, 304, 311, 506
- melanophris*, 260
- nigripes*, 185-197, 257-258, 263, 304, 311
- Dolichonyx oryzivorus*, 215
- Dove, Barbary, 455
- Blue Ground, 404
- Diamond, 452-453
- Gray-chested, 404, 407
- Inca, 450-455
- Mourning, 205-206, 210, 215, 271-272, 276-277, 281-282, 284-285, 324
- Oriental Collared, 455
- Ring, 417
- Rock, 200-201, 210
- Ruddy Ground, 404
- Rufous-breasted Quail, 404
- Rufous-naped, 404, 407
- Scaly, 450-455
- Talpacoti*, 454
- White-tipped, 404
- White-winged, 205, 210
- Dovekie, 338
- Dryocopus lineatus*, 405
- Duck, Labrador, 380
- Mallard, 351-364, 365-385
- Wood, 204, 209
- Duff, C. V., Malaspina's early California ornithological report, 340
- Dulus dominicus*, 217
- Dumetella carolinensis*, 215, 271, 274
- Dunlin, 180
- Dysithamnus mentalis*, 406
- E**
- Eagle, Bald, 267
- Golden, 114
- Eckelberry, Don R., painting of Brazilian manakins, opp. 345
- Egret, Cattle, 403-404, 406-408
- Common, 404, 407
- Snowy, 404, 407
- Elaenia frantzii*, 406
- Elaenia*, Greenish, 406
- Mountain, 406
- Elanus, 178
- caeruleus*, 209
- Elepaio, 180
- Ely, Charles A., Cassin finch and pine grosbeak in west-central Kansas, 418
- Emberiza schoeniclus*, 282
- Empidonax difficilis*, 410
- minimus*, 181
- traillii*, 91, 181, 283
- Eremophila alpestris*, 266, 284, 415
- Ereunetes, 181
- mauri*, 181, 183
- pusillus*, 181, 183
- Erithacus rubecula*, 137, 216, 270
- Erolia alpina*, 180
- bairdii*, 181
- ferruginea*, 182
- minutilla*, 181, 183
- ruficollis*, 182
- temminckii*, 182
- Escalante, Rodolfo, occurrence of the Cassin race of the peregrine falcon in Uruguay, 180
- Estrilda, 452
- Eubucco bourcierii*, 405
- Eucometis penicillata*, 486
- Euphagus*, 58-61, 68
- cyanocephalus*, 58, 69, 78, 101, 162-177, 182-183
- Euphonia*, Tawny-bellied, 207
- Eurocephalus rüppellii*, 217
- Eynon, Alfred E., and Leopold, Aldo, avian day-break and evening song in relation to time and light intensity, 269
- F**
- Falco columbarius*, 178
- peregrinus*, 98, 180
- peregrinus anatum*, 180
- peregrinus cassini*, 180
- sparverius*, 112, 342
- Falcon, Barred Forest, 403-404
- Peregrine, 98, 180
- Fennell, Chester M., occurrence of the oystercatcher and Curlew sandpiper in Korea, 182; recent records of birds in Korea, 417
- Finch, African Weaver, 101
- Cassin, 418
- House, 147-148, 206-207, 215, 220, 266, 323, 387, 410-411
- Purple, 418
- Fisher, Harvey I., the hatching muscle in North American grebes, 227
- Flamingo, American, 202, 209
- Greater, 200
- Flatbill, Eye-ringed, 406
- Flicker, Red-shafted, 340
- Flycatcher, Ash-throated, 421-449
- Boat-billed, 406-407
- Great Crested, 214, 281, 284

- Least, 181-182
 Nutting, 421-449
 Olive-sided, 410
 Pied, 216
 Spotted, 214
 Streaked, 178, 406-407
 Western, 410, 411
 Traill, 91, 181, 283, 289
 Foliage-gleaner, Scaly-throated, 405
 Fowl, Scrub, 209
 Fredrich, Leon A., an occurrence of the Laysan albatross on the northwestern coast of Oregon, 506
Fregata magnificens, 209
 minor, 262
 Frigate Bird, Great, 262
 Magnificent, 207, 209
Fringilla coelebs, 137-138, 220, 270
 Frings, Carl, egg sizes of Laysan and black-footed albatrosses, 263
 Frings, Hubert, and Frings, Mable, some biometric studies on the albatrosses of Midway Atoll, 304
 Fruitcrow, Purple-throated, 406
Fulica atra, 209
 Fulmar, 339
Fulmarus glacialis, 339

G

- Gallinula chloropus*, 209
Gallinule, Common, 201-202, 209
 Florida, 201, 209
Gallus domesticus, 101
 gallus, 101
Garrulus californicus, 237
 sordidus, 234, 240, 243
 Genelly, Richard E., and Morejohn, G. Victor, plumage differentiation of normal and sex-anomalous ring-necked pheasants in response to synthetic hormone implants, 101
Geopelia cuneata, 452, 453
Geothlypis trichas, 282, 410
Geotrygon chiquensis, 404
 Giller, Donald R., and Selander, Robert K., analysis of sympatry of great-tailed and boat-tailed grackles, 29
Glaucidium brasilianum, 483
 Gnatcatcher, Tropical, 201, 205, 216
 Goldeneye, Common, 508
 Goldfinch, Lesser, 410
 Goose, Canada, 204, 209, 401
 Gould, Patrick, J., territorial relationships between cardinals and pyrrhuloxias, 246
 Grackle, Boat-tailed, 30, 81, 504
 Bronzed, 207
 Common, 52, 79, 207, 218
 Great-tailed, 30, 81, 504
 Nicaraguan, 30
 Slender-billed, 30
 Grassquit, Blue-black, 391

- Grebe, Eared, 227-233
 Horned, 227, 229-231, 233
 Least, 403-404
 Pied-billed, 227-233, 264
 Red-necked, 227-231, 233
 Western, 227-233, 264
 Grefe, Robert E., and Wolf, Larry L., Brewer blackbird nesting in eastern Michigan, 182
 Grosbeak, Black-headed, 206-207, 215, 220
 Pine, 418-419
 Rose-breasted, 203, 220, 406
 Grouse, Red, 282
 Ruffed, 97
 Sharp-tailed, 171
 Guillemot, 209
 Pigeon, 415, 457
 Guira guira, 210
 Gull, Black-headed, 101
 California, 339, 356, 476
 Glaucous, 414, 474-478
 Glaucous-winged, 457, 462, 477
 Herring, 324
 Silver, 262
 Western, 411-412, 414-415
 Gullion, Gordon W., and Gullion, Ardelle M., weight variations of captive Gambel quail in the breeding season, 95
Gygis alba, 466

H

- Habia gutturalis*, 219, 479-503
 rubica, 479-503
Haematopus bachmani, 414
 ostralegus osculans, 182
 Hand, Ralph L., and Hoffmann, Robert S., recent shorebird records for Montana, 180
 Hanna, Wilson C., second specimen of the dove-kie from Alaska, 338; turkey vulture nesting in Pima County, Arizona, 419
Harpagus, 178-179
 bidentatus, 178
 diodon, 178-179
 Harrison, C. J. O., notes on the behavior of the scaly dove, 450
 Hartman, Frank A., and Brownell, Katharine A., lipids in the locomotor muscles of birds, 403
 Hawfinch, 220
 Hawk, Broad-winged, 404
 Cooper, 178
 Harlan, 98
 Hawaiian, 342
 Marsh, 116
 Red-tailed, 98
 Sparrow, 112, 179, 342
 Swainson, 266
 Hawk-Eagle, Ornate, 505
Helionis fulica, 404
Helminthos vermivorus, 218
Hemignathus lucidus hanapepe, 180
 procerus, 180

- Heron, Black-crowned Night, 417
 Boat-billed, 403-404
 Great Blue, 98
 Green, 208
- Heterocercus, 346-348
 aurantiivertex, 346
 flavivertex, 346, 348
 linteatus, opp. 345, 346-348, 350
 luteocephalus, 346, 350
- Himatione sanguinea sanguinea, 180
- Hirundo rustica, 212
 rustica gutturalis, 419
- Hoffmann, Robert S., and Hand, Ralph L., recent shorebird records for Montana, 180
- Holoquiscalus, 58, 68
- Honeycreeper, Blue, 201, 217, 218
 Red-legged, 403, 406
 Shining, 403, 406
- Honeyeater, White-naped, 217
- Hornbill, Casqued, 211
 Crowned, 200, 202, 210
 Red-and-White-billed, 211
- Howell, Thomas R., an early reference to torpidity in a tropical swift, 505
- Howell, Thomas R., and Bartholomew, George A., temperature regulation in Laysan and black-footed albatrosses, 185
- Hummingbird (see also Mountain Gem)
 Allen, opp. 3, 20-21, 23, 507
 Anna, opp. 3, 10, 12, 15, 16, 20-21, 23
 Black-chinned, opp. 3, 3, 8-12, 15
 Broad-tailed, opp. 3, 3, 8, 100, 507
 Calliope, opp. 3, 13-16, 21
 Costa, opp. 3, 3, 10, 12-15
 Lucifer, 10
 Mexican Violet-eared, 323
 Ruby-throated, 10, 323, 507
 Rufous-tailed, 396, 405
 Scaly-breasted, 405
 Violet-bellied, 405
- Humphrey, Philip S., and Clark, George A., Jr., pterylosis of the mallard duck, 365
- Hylocichla fuscescens, 215
 minima, 215
 mustelina, 215
 ustulata, 215, 406, 410
- I**
- Icterus galbula, 277, 324
 spurius, 220
- Iiwi, 180
- Io, 342
- Iridoprocne bicolor, 212, 326
- Ixobrychus exilis, 404
- J**
- Jacana spinosa, 404
- Jacana, American, 404, 407
- Jackdaw, 200, 212
- Jaeger, Parasitic, 508
 Pomarine, 342
- Jay, Blue, 213
 Brown, 203, 208, 212
 Mexican, 213, 234, 242-243
 Scrub, 148, 213, 234, 237-239, 244, 331
 Steller, 143-144, 147
 Tufted, 213
 Unicolored, 243
- Johnson, Ned K., and Banks, Richard C., a review of North American hybrid hummingbirds, 3
- Johnson, Oscar W., reproductive cycle of the mallard duck, 351
- Johnston, David W., salivary glands in the black swift, 338; timing of annual molt in the glaucous gulls of northern Alaska, 474
- Johnston, Richard F., population movements of birds, 386
- Junco hyemalis, 137, 509
 hyemalis hyemalis, 183
 oregonus, 183, 220, 357
- Junco, Oregon, 183, 205, 220
 Slate-colored, 137, 183, 509
- Junglefowl, Red, 101, 107
- K**
- King, James R., the bioenergetics of vernal premigratory fat deposition in the white-crowned sparrow, 128
- Kingbird, Eastern, 218, 283
 Western, 266
- Kingfisher, Amazon, 403, 405
 Green, 403, 405
 Ringed, 405, 407
- Kite, Black-shouldered, 200, 204, 209
 Double-toothed, 178
 Gray-headed, 178
 Hook-billed, 403-404, 407
 White-tailed, 178
- Kittiwake, 334-335
 Black-legged, 476
- Knot, 180
- L**
- Lagopus scoticus, 282
- Lampornis castaneiventris, 405
- Lanius ludovicianus, 148
- Lanyon, Wesley E., specific limits and distribution of ash-throated and Nutting flycatchers, 421
- Lark, Horned, 266, 284, 415
- Larus argentatus, 324
 californicus, 339, 356, 476
 glaucescens, 457
 hyperboreus, 414, 474-478
 novaehollandiae, 262
 occidentalis, 415
 ridibundus, 101
- Laterallus albigularis, 404
 leucopyrrhus, 209

- Leopold, Aldo, and Eynon, Alfred E., avian day-break and evening song in relation to time and light intensity, 269
Lepidocolaptes affinis, 405
Leptodon, 178
Leptotila cassinii, 404
 rufinucha, 404
 verreauxi, 404
Leucophoyx thula, 404
 Levy, Seymour H., two new birds recorded for Arizona, 98
 Linnet, 214, 220
 Locke, Louis N., sparrow hawk feeding on dragonflies, 342
 Longspur, Lapland, 147
Lophoceros deckeni, 211
 melanoleucos, 210
Lophortyx californicus, 97, 294-303, 314, 340
 gambelii, 95-97
Lophotriccus pileatus, 406
Loxops coccinea caeruleirostris, 179
 maculata bairdi, 179
 parva, 180
 virens stejnegeri, 180
Lunda cirrhata, 415, 457
Lybius albicauda, 211
- M**
- Magpie, Black-billed, 112
 Magpie-Jay, White-throated, 203, 213
Malurus, 210
 amabilis, 216
 cyaneus, 216
 lamberti, 216
 splendens, 216
Manacus, 345, 349
 manacus, 345, 348-350
 vitellinus, 345, 406
Manakin, Golden-crowned, 406
 White-ruffed, 403, 406
Mannikin, Black-headed, 218
 Rufous-backed, 218
Martin, Gray-breasted, 403, 406
 House, 201, 212
 Purple, 65, 200-203, 212
 Sand, 212
Massornis, 348
 McCabe, Robert A., the selection of colored nest boxes by house wrens, 322
 Meadowlark, Eastern, 281, 284-285
 Western, 418
Megapodius freycinet, 209
Megarhynchus pitangua, 406
Melanitta deglandi, 209
Melithreptes lunulatus, 217
Melospiza georgiana ericrypta, 183
 georgiana georgiana, 183
 melodia, 220, 271, 387, 507
Merganser, Red-breasted, 265
Mergus, 380
 serrator, 265
 Merlin, 178
 Michener, Martin C., and Stein, Robert C., least flycatchers in northwestern Washington and central British Columbia, 181
Micrastur ruficollis, 404, 500
 Miller, Alden H., a review of Hummingbirds, by Crawford H. Greenewalt, 100; molt cycles in equatorial Andean sparrows, 143; a review of the Kirtland's warbler, by Harold Mayfield, 268
 Miller, Loye, birds from the Miocene of Sharktooth Hill, California, 399
Mimus polyglottos, 220, 266
Mniotilta varia, 217
 Mockingbird, 220, 266
Moho braccatus, 179
Molothrus, 58, 68
 ater, 58, 61, 69, 183, 220, 410
Momotus momota, 499
 momota conexus, 405, 407
 momota lessonii, 405, 407
 Moorhen, 202, 209
 Morejohn, G. Victor, and Genelly, Richard E., plumage differentiation of normal and sex-anomalous ring-necked pheasants in response to synthetic hormone implants, 101
Morus, 401
 bassana, 401
 serrator, 401
 vagabundus, 399, 401
Motacilla alba, 206, 216
 capensis, 217
 cinerea, 217
 flava, 324
 Motmot, Blue-crowned, 405-406
 Mountain Gem, White-throated, 405
 Murre, 204
 Common, 209, 411-412, 415
 Murrelet, Ancient, 468
 Marbled, 456
Muscicapa hypoleuca, 216
 luteocephala, 345-346
 striata, 214
Myiarchus, 421, 439, 445, 447
 cinerascens, 421-449
 cinerascens cinerascens, 421-425, 428-432, 439, 441-443, 445, 447
 cinerascens flavidior, 422
 cinerascens mexicanus, 422, 424, 433
 cinerascens nuttingi, 422
 cinerascens pertinax, 421, 423-425, 428-433, 441, 443, 447
 crinitus, 214, 281, 424
 inquietus, 421-422
 nuttingi, 421-449
 nuttingi flavidior, 424, 426-434, 441, 444, 447
 nuttingi inquietus, 421-422, 424, 426-432, 434, 439, 441-447
 nuttingi nuttingi, 421, 426, 428-432, 434, 441, 444, 447
 nuttingi vanrossemi, 422, 424, 428

- tuberculifer, 424, 437, 439, 447
- tyrannulus, 421, 424, 431, 447
- tyrannulus cooperi, 443
- yucatanensis, 424, 437, 439
- Myioborus miniatus, 406
- Myiodynastes maculatus, 178, 406
- Myiopagis viridicatus, 406
- Myiopsitta monachus, 210
- Myrmotherula axillaris, 207

N

- Nighthawk, Common, 278, 288-289
- Lesser, 403, 405-406
- Nightjar, 210, 278, 288-289
- Nukupuu, 180
- Nuthatch, Brown-headed, 202-203, 214
- European, 205, 214
- Pygmy, 202-203, 214
- Red-breasted, 410
- Nuttallornis borealis, 410
- Nyctibius griseus, 405
- Nycticorax nycticorax, 417
- Nyctidromus albigularis, 405

O

- Oceanodroma homochroa, 414
- leucorhoa beali, 414
- Odontophorus guttatus, 404
- Oena capensis, 452-453, 454
- Oenanthe oenanthe, 216
- Oidemia nigra, 418
- Oldsquaw, 418
- Omao, 179
- Oo, Kauai, 179
- Oporornis, 349
- agilis, 410
- formosus, 218
- philadelphia, 349
- tolmiei, 349
- Orians, Gordon H., social stimulation within
- blackbird colonies, 330
- Oriole, Baltimore, 277, 281, 284, 324
- Orchard, 220
- Oropendola, Chestnut-headed, 406
- Ortalis garrula, 404
- Otus asio, 290
- choliba, 405
- Ou, 180
- Ovenbird, 206, 217-218, 283, 410-411
- Owl, Barn, 403, 405, 407
- Black and White, 403, 405, 407
- Burrowing, 414
- Ferruginous, 483
- Horned, 469
- Screech, 290
- Striped, 405
- Tawny, 289
- Tropical Screech, 405
- Oystercatcher, 182
- Black, 414

P

- Palm-Chat, 204, 217
- Panyptila sancti-hieronymi, 505
- Parakeet, Gray-breasted, 204, 210
- Orange-chinned, 404
- Parauque, 405-406
- Parkes, Kenneth C., intergeneric hybrids in the
- family Pipridae, 345
- Parrot, Brown-hooded, 404, 407
- Red-lore, 404
- Partridge, Chukar, 111-127
- Hungarian, 294
- Red-legged, 111, 113, 115-116
- Partridge, William H., Accipiter pectoralis, a
- synonym of Accipiter poliogaster, 505
- Parula, 349
- Parus ater, 214
- bicolor, 213
- caeruleus, 213, 323
- gambeli, 213
- major, 213, 323
- Passer domesticus, 52, 101, 215, 218, 323, 338-340, 356, 387, 410, 454
- Passerculus sandwichensis, 80, 97, 418
- sandwichensis nevadensis, 97
- Passerella iliaca, 507
- Passerina, 341
- amoena, 341
- cyanea, 220, 281, 341, 406
- Payne, Robert B., growth rate of the lens of the
- eye of house sparrows, 338
- Pearson, Oliver P., flight speeds of some small
- birds, 506
- Pedioecetes phasianellus, 171
- Pelecanus erythrorhynchus, 209
- occidentalis, 414
- Pelican, Brown, 414
- White, 207, 209
- Penguin, Adelie, 200
- Chinstrap, 200
- Emperor, 200
- Perdix perdix, 294
- Pernis celebensis, 179
- Petrel, Ashy, 414
- Hawaiian, 261
- Leach, 414
- Scaled, 417
- Petrochelidon pyrrhonota, 212
- Pewee, Eastern Wood, 273, 281, 284
- Phacelodorus rufifrons, 212
- Phaeochroa cuvierii, 405
- Phaeornis obscurus myadestina, 179
- palmeri, 179
- Phaethon rubricauda, 261
- Phalacrocorax auritus, 414
- carbo, 209
- olivaceus, 404
- pelagicus, 414
- penicillatus, 414
- Phalaenoptilus nuttallii, 289
- Phalarope, Red, 97-98

- Phalaropus fulicarius*, 97-98
Pharomachrus mocinno, 405
Phasianus, 108
 colchicus, opp. 101, 101-110, 112, 270-271, 280, 294, 340, 361
Pheasant, Ring-necked, opp. 101, 101-110, 112, 115, 270, 279-282, 284, 291, 294, 340, 361
Pheucticus ludovicianus, 220, 406
 melanocephalus, 220
Philetairus socius, 218
Philohela minor, 279, 286
Phloeocastes melanoleucos, 405
Phoebe, Black, 415, 453
 Eastern, 205-206, 212
 Say, 266
Phoebetria palpebrata, 261
Phoenicopiterus antiquorum, 200
 ruber, 209
Phoenicurus ochrurus, 216
 phoenicurus, 282
Phylloscopus borealis, 417
 borealis examinandus, 417
 trochilus, 206, 214
Pica pica, 112
 sieberii, 241
Piculet, Olivaceous, 405
Piculus rubiginosus, 405
Picumnus olivaceus, 405
Pigeon, Domestic, 210
 Ruddy, 404
 Scaled, 404
 White-naped, 404, 407
Pinicola enucleator, 419
 enucleator leucura, 419
Pintail, 361
Pionopsitta haematotis, 404
Pipilo erythrophthalmus, 220, 272, 313-321
 fuscus, 220, 507
Pipit, Meadow, 324
 Tree, 217
Pipra, 345-349
 anomala, opp. 345, 346-348, 350
 aureola, 345, 347-348, 350
 aureola aurantiicollis, opp. 345, 346
 erythrocephala, 345, 348-350
 fasciicauda, 345, 350
 heterocerca, 345, 350
Piranga olivacea, 219
 rubra, 406
Pitelka, Frank A., new wildlife ranges in Alaska, 99; comments on types and taxonomy in the jay genus *Aphelocoma*, 234
Platalea, 452
Plautus alle, 338
Plectrophenax nivalis, 147
Plover, Black-bellied, 180
 Kentish, 203, 209
 Semipalmated, 181
 Snowy, 209
Podiceps auritus cornutus, 227
 caspicus californicus, 227
 dominicus, 404
 grisegena holbölli, 227
Podilymbus podiceps, 264
 podiceps podiceps, 227
Polioptila plumbea, 216
Poor-will, 289
Potoo, Common, 405
Presbychen abavus, 401
Prinops plumata, 217
 poliocephalus, 217
Progne chalybea, 406
 subis, 65, 212
Prunella modularis, 214
Psaltiriparus melanotis, 213
 minimus, 214
Psilorhinus mexicanus, 212
Psittirostra psittacea, 180
Pterodroma inexpectata, 417
 phaecopygia, 261
Pteroglossus frantzii, 206, 405
 torquatus, 211, 405
Pteronetta hartlaubii, 374
Ptilonorhynchus violaceus, 324
Ptychoramphus aleutica, 415, 456
Puffin, Tufted, 415, 457-458, 470
Puffinus, 399, 401
 diatomacus, 401
 griseus, 401
 inceptor, 399-401
 leucomelas, 261
 mittelli, 400-401
 opisthomelas, 401
 pacificus, 468
 priscus, 399-401
Pygoscelis adeliae, 200
 antarctica, 200
Pyromelana franciscana, 101
Pyrhuloxia, 246-256
 sinuata, 246-256

Q

- Quail*, Bobwhite, 97, 113
 California, 97, 183, 294-303, 314, 340
 European, 451
 Gambel, 95-97
 Japanese, 403-404, 407-408
 Scaled, 294, 300, 340
 Spotted Wood, 404
Quelea quelea, 218
Querula purpurata, 406
Quetzal, 405
Quiscalus, 58, 61, 79
 quiscula, 52, 78, 218

R

- Rail*, 209
 Gray-necked Wood, 404
Raitt, Ralph J., Jr., plumage development and molts of California quail, 294
Ramphastos, 179
 swainsonii, 405

- Ramphocelus passerinii, 219
Raven, 200, 207
 Common, 212, 474
Recurvirostra, 402
 americana, 402
 avosetta, 209
Redstart, 282
 American, 205, 218, 410, 411
 Black, 216
 Slate-throated, 403, 406
Rhinoptynx clamator, 405
Rhynchocyclus brevirostris, 406
Richardson, Carl, tricolored blackbirds nesting in Jackson County, Oregon, 507
Richardson, Charles H., and Richardson, Alice I., golden-winged warbler in Southern California, 504
Richardson, Frank, breeding biology of the rhinoceros auklet on Protection Island, Washington, 456
Richardson, Frank, and Bowles, John, records of the rarer native forest birds of Kauai, Hawaii, 179
Richmondia cardinalis, 219, 246-256, 270, 275 phoenicea, 246
Rickard, W. H., notes on bird nests found in a desert shrub community following nuclear detonations, 265
Riparia riparia, 212
Rissa tridactyla, 334, 476
Robin, American, 203, 205-207, 210, 215, 219-220, 271-272, 275, 277-278, 281-285, 288, 290-291
 European, 137, 205-207, 213, 215-216, 270, 279, 288
 Mountain, 406-407
Roest, Aryan I., bird records from San Luis Obispo County, California, 508
Rook, 279
Roper, Laren A., and Ryder, Ronald A., recent waterfowl records for Colorado, 418
Ryder, Ronald A., and Roper, Laren A., recent waterfowl records for Colorado, 418
- S
- Sabrewing, Violet, 405
Salpinctes obsoletus, 410
Saltator albicollis, 406
 maximus, 219
Saltator, Buff-throated, 203, 219
 Streaked, 406
Sanderling, 181
Sandpiper, Baird, 181
 Curlew, 182
 Least, 181, 183
 Semipalmated, 181, 183
 Western, 181, 183
Sapayoa, 348
Sapsucker, Williamson, 205, 213
Sayornis nigricans, 415, 454
 phoebe, 212
 saya, 266
Scardafella inca, 450, 455, 455
 squammata, 450-455
 squammata ridgwayi, 450
Scaup, Lesser, 209, 404, 407
Schiffornis, 348
Scoleophagus carolinus, 165
Scoter, Common, 418
 White-winged, 209
Seedeater, Yellow-bellied, 390-398
Seiurus aurocapillus, 206, 217, 283
 aurocapillus aurocapillus, 410
Selander, Robert K., supplemental data on the sex ratio in nestling boat-tailed grackles, 504
Selander, Robert K., and Giller, Donald R., analysis of sympatry of great-tailed and boat-tailed grackles, 29
Selasphorus, 3, 22, 26
 alleni, 17-18
 floresii, 17-18, 20
 platycercus, 3-10, 17, 22-25, 507
 rufus, 17-18, 22-25
 sasini, 5, 7, 17-26, 507
Selsor, C. Jackson, and Stott, Ken, Jr., association of trogons and monkeys on Barro Colorado, 508
Semnornis frantzii, 405
Setophaga, 349
 rutililla, 218, 410
Shearwater, Wedge-tailed, 468
 White-faced, 261
Sheld-duck, 200
Shrike, Loggerhead, 148
 Spectacled, 217
 White-crowned, 217
 White Helmet, 217
Sialia, 201
 currucoides, 215
 mexicana, 215
 sialis, 215, 281
Sieberothia, 243
Siskin, Pine, 415
Sitta canadensis, 410
 europaea, 214, 323
 pusilla, 214
 pygmaea, 214
Skutch, Alexander F., helpers among birds, 198
Skylark, European, 418
Snipe, Swinnoe, 417
Sparrow, Andean, 143-161
 Black-throated, 266
 Brewer, 266
 Chipping, 202, 218-220, 281, 284
 English, 323
 Field, 206, 220, 273-277, 281-285, 291, 403, 406
 Fox, 507
 Golden-crowned, 507
 Green-backed, 406
 Hedge, 214
 House, 52, 101, 215, 218, 338-340, 356, 387, 410-411, 454
 Savannah, 80, 97, 418

- Song, 204, 206-207, 219-220, 271, 276, 281-285, 387, 507
 Swamp, 183
 Tree, 137, 509
 White-crowned, 91, 128-142, 356-357, 507
 White-throated, 137
Speotyto cunicularia, 414
Spermestes nigriceps, 218
Sphyrapicus thyroideus, 205, 213
 Spinetail, Slaty, 405
Spinus pinus, 415
 psaltria, 410
Spizaetus lanceolatus, 179
 ornatus, 505
Spizella arborea, 137, 509
 breweri, 266
 passerina, 220, 281
 pusilla, 220, 273, 406
Sporophila gutturalis, 390
 nigricollis, 390-398
Squatarola squatarola, 180
 Starling, 55, 112, 183, 205, 214, 279, 508
 Stearns, Edwin I., dragonfly "attacks" Hawaiian hawk, 342
 Stein, Robert C., and Michener, Martin C., least flycatchers in northwestern Washington and central British Columbia, 181
Stellula, 3, 22, 26
 calliope, 5, 7-9, 13-17, 21-26
Stercorarius parasiticus, 508
 pomarinus, 342
Sterna forsteri, 341
 paradisaea, 209
 Stint, Little, 182
 Temminck, 182
 Stokes, Allen W., voice and social behavior of the chukar partridge, 111
 Stott, Ken, Jr., and Selsor, C. Jackson, association of trogons and monkeys on Barro Colorado, 508
Streptopelia, 452, 455
 chinensis, 453
 decaocto decaocto, 455
 decaocto stoliczkae, 417
 risoria, 455
 roseogrisea, 455
Strix aluco, 289
Sturnella, 68-69
 magna, 69, 281
 neglecta, 69, 418
Sturnus vulgaris, 55, 112, 183, 205, 214, 279, 508
Sula dactylatra, 261
 leucogaster, 209, 261
 nebouxi, 401
 Sungrebe, 404
 Swallow, Amur Barn, 419
 Bank, 212
 Barn, 200-201, 212
 Cliff, 212
 European, 201
 Papuan Wood, 217
 Tree, 204-206, 212, 326
 Violet-green, 212, 457
 Swan, Whistling, 401
 Swift, Black, 338
 Chimney, 203, 210, 338
 Greater Swallow-tailed, 505
 White-throated, 505
Sylvia communis, 137, 216
Synallaxis brachyura, 405
Synthliboramphus antiquus, 468

T

- Tachycineta thalassina*, 212, 457
Tadorna tadorna, 200
Tanager, Bay-headed, 406
 Blue, 219
 Blue-gray, 406
 Common Bush, 406
 Golden-masked, 201-203, 205, 216, 218, 406
 Plain-colored, 219
 Scarlet, 219
 Scarlet-rumped Black, 203, 217, 219
 Speckled, 203, 219
 Summer, 406
 Yellow-browed, 219
Tanagra imitans, 207
Tangara gyrola, 406, 486
 inornata, 219
 chrysophrys, 219
 larvata, 218, 406
Tangavivus aeneus milleri, 183
Teal, Blue-winged, 404
Teleonema, 345
 filicauda, 345, 350
 filicauda filicauda, 345
Telmatodytes plaustis, 87
Tern, Arctic, 203, 209
 Black, 341
 Forster, 341
 White, 466
Thamnophilus doliatus, 406
 Thompson, Max C., the flight speed of a red-breasted merganser, 265
Thornbird, Rufous-fronted, 204, 212
Thrasher, Brown, 277, 281
 California, 340
Thraupis episcopus, 219
 virens, 406
Thrush, Gray-cheeked, 215
 Olive-backed, 406
 Small Kauai, 179
 Song, 205, 216
 Swainson, 215, 410-411
 Wood, 203-204, 215
Thryomanes bewickii, 205, 220
Thryothorus ludovicianus, 214
 modestus, 406
Tiger-heron, Banded, 404
Tigrisoma lineatum, 404
Tinamou, Little, 404, 407

- Tit, Blue, 205, 213
 Coal, 214
 Great, 203, 213-214
 Long-tailed, 204, 213
 Titmouse, Tufted, 213
 Tityra semifasciata, 406
 Tityra, Masked, 406
 Toucan, Chestnut-mandibled, 405, 407
 Towhee, Abert, 254
 Brown, 205-206, 220, 254, 507
 Rufous-sided, 206, 220, 272, 276, 279, 281-282, 284, 313-321
 Toxostoma redivivum, 340
 rufum, 277
 Tripsurus chrysauen, 211
 Trochilus, 11
 anna, 17
 floresii, 17
 rufus, 17
 violajugulum, 10-13
 Troglodytes aëdon, 87, 215, 271, 276, 322-329, 370
 musculus, 215
 troglodytes, 214, 270
 Trogon massena, 508
 rufus, 405
 strigilatus, 405
 violaceus, 405
 Trogon, Black-throated, 405
 Slaty-tailed, 508
 Violaceous, 405
 White-tailed, 405, 407
 Tropic Bird, Red-tailed, 261
 Turdoides striatus, 214
 Turdus ericetorum, 205, 216
 merula, 203, 215, 270
 migratorius, 210, 215, 271, 278
 plebejus, 406
 Tyrannus tyrannus, 218, 284
 verticalis, 266
 Tyrant, Scale-crested Pygmy, 406
 Tyto alba, 405

U

- Uria aalge, 209, 415

V

- Veery, 215
 Vermivora, 349
 chrysoptera, 349, 504
 pinus, 349
 Vestiaria coccinea, 180
 Vireo gilvus, 281
 olivaceus, 218, 410
 Vireo, Red-eyed, 218, 410
 Warbling, 281
 Volatinia jacarina, 391
 Vulture, Black, 200, 207, 212
 Turkey, 419

W

- Wagtail, Cape, 217
 Gray, 205, 217
 Pied, 206-207, 216
 Yellow, 324
 Walkinshaw, Lawrence H., and Zimmerman, Dale
 A., range expansion of the Brewer blackbird in eastern North America, 162
 Wallace, William M., scaled petrel in Oregon, 417
 Warbler, Arctic Willow, 417
 Black-and-White, 206, 217
 Chestnut-sided, 410, 411
 Connecticut, 410
 Golden-winged, 504
 Great Reed, 282
 Jack Pine, 268
 Kentucky, 203, 218
 Kirtland, 268
 Prairie, 419
 Willow, 206, 214, 216
 Worm-eating, 206, 217-218
 Yellow, 206, 220
 Weaver, Black-faced, 218
 Red-billed, 218
 Social, 204, 218
 Weeden, Judith S., and Weeden, Robert B., winter record of a tree sparrow in central Alaska, 509
 Wheatear, 203, 216
 Whip-poor-will, 289
 Whitethroat, 137
 Common, 216
 Wilhoft, Daniel C., birds observed during two crossings of the Pacific Ocean, 257
 Williams, Laidlaw, indigo bunting at Carmel, California, 341
 Willis, Edwin, prairie warbler off the Pacific coast of Guatemala, 419; a study of nesting ant-tanagers in British Honduras, 479
 Wolf, Larry L., and Grefe, Robert E., Brewer blackbird nesting in eastern Michigan, 182
 Woodcock, American, 279, 285-287, 290-291
 Woodhewer, Buff-throated, 405, 407
 Spot-crowned, 405
 Woodpecker, Acorn, 211
 Black-cheeked, 405, 407
 Crimson-crested, 405
 Golden-naped, 211
 Golden-olive, 405, 407
 Lineated, 405, 407
 Red-crowned, 405, 407
 Wren, Banded-backed, 203, 208, 214
 Bewick, 205, 220
 Blue Fairy, 203, 216
 Cactus, 87-94
 Carolina, 205, 214
 European, 214, 216, 270, 275-276, 278, 282, 289
 House, 87, 271-272, 275-277, 281-282, 284-285, 291, 322-329, 370
 Long-billed Marsh, 87

Lovely Fairy, 216
Northern House, 206, 215
Plain, 406
Rock, 410
Short-billed Marsh, 172
Splendid Fairy, 216
Southern House, 202, 215
Variegated Fairy, 216
Winter, 203, 205, 214

X

Xiphorhynchus guttatus, 405

Y

Yellowthroat, 281-282, 284-285, 410-411

Z

Zarhynchus wagleri, 406
Zenaida asiatica, 205, 210
Zenaidura macroura, 210, 271, 324
Zimmerman, Dale A., and Walkinshaw, Lawrence
H., range expansion of the Brewer black-
bird in eastern North America, 162
Zonotrichia, 131, 148, 160, 279
albicollis, 137, 139-140
atricapilla, 160, 507
capensis, 143-161
leucophrys, 91, 160, 356, 507
leucophrys gambelii, 128-142

